

X827

**Structural Steel Rectangular Tube Columns
CAFCO BLAZE-SHIELD II, HP**

ASTM Desig.	Wall Thk	A/P	Metric Desig.	M/D	Hp/A	1-Hour	1-1/2 Hour	2-Hour	3-Hour	4-Hour
36 x 24	1/2	0.49	914 x 610 x 12.7	97.4	80.0	3/8	7/16	11/16	1-1/8	1-5/8
30 x 24	1/2	0.49	762 x 610 x 12.7	97.4	80.0	3/8	7/16	11/16	1-1/8	1-5/8
	3/8	0.37	x 9.5	73.8	105.5	1/2	13/16	1-1/4	2	2-3/4
	5/16	0.31	x 7.9	61.4	126.8	9/16	1-1/16	1-1/2	2-3/8	3-5/16
28 x 24	1/2	0.49	711 x 610 x 12.7	97.4	80.0	3/8	7/16	11/16	1-1/8	1-5/8
	3/8	0.37	x 9.5	73.8	105.5	1/2	13/16	1-1/4	2	2-3/4
	5/16	0.31	x 7.9	61.4	126.8	9/16	1-1/16	1-1/2	2-3/8	3-5/16
26 x 24	1/2	0.49	660 x 610 x 12.7	97.4	80.0	3/8	7/16	11/16	1-1/8	1-5/8
	3/8	0.37	x 9.5	73.2	106.4	1/2	13/16	1-1/4	2	2-3/4
	5/16	0.31	x 7.9	61.4	126.8	9/16	1-1/16	1-1/2	2-3/8	3-5/16
24 x 22	1/2	0.49	610 x 559 x 12.7	96.8	80.5	3/8	7/16	11/16	1-1/8	1-5/8
	3/8	0.37	x 9.5	73.2	106.4	1/2	13/16	1-1/4	2	2-3/4
	5/16	0.31	x 7.9	61.4	126.8	9/16	1-1/16	1-1/2	2-3/8	3-5/16
22 x 20	1/2	0.49	559 x 508 x 12.7	96.2	81.0	3/8	7/16	11/16	1-1/8	1-5/8
	3/8	0.37	x 9.5	73.2	106.4	1/2	13/16	1-1/4	2	2-3/4
	5/16	0.31	x 7.9	61.4	126.8	9/16	1-1/16	1-1/2	2-3/8	3-5/16
20 x 18	1/2	0.49	508 x 457 x 12.7	96.2	81.0	3/8	7/16	11/16	1-1/8	1-5/8
	3/8	0.37	x 9.5	72.6	107.3	1/2	13/16	1-1/4	2	2-3/4
	5/16	0.31	x 7.9	60.8	128.1	9/16	1-1/16	1-1/2	2-3/8	3-5/16
20 x 12	1/2	0.48	508 x 305 x 12.7	95	82.0	3/8	11/16	1	1-9/16	2-1/8
	3/8	0.37	x 9.5	72.6	107.3	1/2	13/16	1-1/4	2	2-3/4
	5/16	0.31	x 7.9	60.8	128.1	9/16	1-1/16	1-1/2	2-3/8	3-5/16
20 x 8	1/2	0.48	508 x 203 x 12.7	94.4	82.5	3/8	11/16	1	1-9/16	2-1/8
	3/8	0.36	x 9.5	72	108.2	1/2	13/16	1-1/4	2-1/16	2-13/16
	5/16	0.31	x 7.9	60.2	129.4	9/16	1-1/16	1-1/2	2-3/8	3-5/16
20 x 4	1/2	0.48	508 x 102 x 12.7	93.2	83.6	3/8	11/16	1	1-9/16	2-1/8
	3/8	0.36	x 9.5	71.4	109.1	1/2	13/16	1-1/4	2-1/16	2-13/16
	5/16	0.30	x 7.9	60.2	129.4	5/8	1-1/16	1-9/16	2-1/2	3-3/8
18 x 12	1/2	0.48	457 x 305 x 12.7	95	82.0	3/8	11/16	1	1-9/16	2-1/8
	3/8	0.37	x 9.5	72	108.2	1/2	13/16	1-1/4	2	2-3/4
	5/16	0.31	x 7.9	60.8	128.1	9/16	1-1/16	1-1/2	2-3/8	3-5/16
18 x 6	1/2	0.48	457 x 152 x 12.7	93.2	83.6	3/8	11/16	1	1-9/16	2-1/8
	3/8	0.36	x 9.5	71.4	109.1	1/2	13/16	1-1/4	2-1/16	2-13/16
	5/16	0.30	x 7.9	60.2	129.4	5/8	1-1/16	1-9/16	2-1/2	3-3/8
	1/4	0.24	x 6.4	48.4	160.9	3/4	1-5/16	1-15/16	3-1/16	NR
16 x 12	1/2	0.48	406 x 305 x 12.7	94.4	82.5	3/8	11/16	1	1-9/16	2-1/8
	3/8	0.36	x 9.5	72	108.2	1/2	13/16	1-1/4	2-1/16	2-13/16
	5/16	0.31	x 7.9	60.2	129.4	9/16	1-1/16	1-1/2	2-3/8	3-5/16
16 x 8	1/2	0.48	406 x 203 x 12.7	93.2	83.6	3/8	11/16	1	1-9/16	2-1/8
	3/8	0.36	x 9.5	71.4	109.1	1/2	13/16	1-1/4	2-1/16	2-13/16
	5/16	0.30	x 7.9	60.2	129.4	5/8	1-1/16	1-9/16	2-1/2	3-3/8
16 x 4	1/2	0.48	406 x 102 x 12.7	92	84.7	3/8	11/16	1	1-9/16	2-1/8
	3/8	0.35	x 9.5	67.1	116.1	1/2	13/16	1-1/4	2-1/8	2-15/16
	5/16	0.30	x 7.9	59.6	130.7	5/8	1-1/16	1-9/16	2-1/2	3-3/8

Note: A/P Ratio based on Design Formula

X827

**Structural Steel Rectangular Tube Columns
CAFCO BLAZE-SHIELD II, HP**

ASTM Desig.	Wall Thk	A/P	Metric Desig.	M/D	Hp/A	1-Hour	1-1/2 Hour	2-Hour	3-Hour	4-Hour
14 x 10	5/8	0.59	356 x 254 x 15.9	112.1	69.5	3/8	7/16	11/16	1-1/8	1-5/8
	1/2	0.48	x 12.7	93.2	83.6	3/8	11/16	1	1-9/16	2-1/8
	3/8	0.36	x 9.5	71.4	109.1	1/2	13/16	1-1/4	2-1/16	2-13/16
	5/16	0.30	x 7.9	60.2	129.4	5/8	1-1/16	1-9/16	2-1/2	3-3/8
14 x 6	1/2	0.48	356 x 152 x 12.7	92	84.7	3/8	11/16	1	1-9/16	2-1/8
	3/8	0.36	x 9.5	70.8	110.0	1/2	13/16	1-1/4	2-1/16	2-13/16
	5/16	0.30	x 7.9	59.6	130.7	5/8	1-1/16	1-9/16	2-1/2	3-3/8
	1/4	0.24	x 6.4	48.4	160.9	3/4	1-5/16	1-15/16	3-1/16	NR
14 x 4	1/2	0.47	356 x 102 x 12.7	91.5	85.1	3/8	11/16	1	1-9/16	2-3/16
	3/8	0.36	x 9.5	70.2	110.9	1/2	13/16	1-1/4	2-1/16	2-13/16
	5/16	0.30	x 7.9	59	132.0	5/8	1-1/16	1-9/16	2-1/2	3-3/8
	1/4	0.24	x 6.4	47.8	162.9	3/4	1-5/16	1-15/16	3-1/16	NR
12 x 8	5/8	0.59	305 x 203 x 15.9	112.7	69.1	3/8	7/16	11/16	1-1/8	1-5/8
	1/2	0.48	x 12.7	92	84.7	3/8	11/16	1	1-9/16	2-1/8
	3/8	0.36	x 9.5	71	109.7	1/2	13/16	1-1/4	2-1/16	2-13/16
	5/16	0.30	x 7.9	59.6	130.7	5/8	1-1/16	1-9/16	2-1/2	3-3/8
	1/4	0.24	x 6.4	48.4	160.9	3/4	1-5/16	1-15/16	3-1/16	NR
	3/16	0.18	x 4.8	36.6	212.8	1	1-9/16	2-3/16	4	NR
12 x 6	5/8	0.58	305 x 152 x 15.9	111	70.2	3/8	7/16	11/16	1-1/8	1-5/8
	1/2	0.47	x 12.7	91.5	85.1	3/8	11/16	1	1-9/16	2-3/16
	3/8	0.36	x 9.5	70.2	110.9	1/2	13/16	1-1/4	2-1/16	2-13/16
	5/16	0.30	x 7.9	59	132.0	5/8	1-1/16	1-9/16	2-1/2	3-3/8
	1/4	0.24	x 6.4	48.8	159.6	3/4	1-5/16	1-15/16	3-1/16	NR
	3/16	0.18	x 4.8	36.6	212.8	1	1-9/16	2-3/16	4	NR
12 x 4	5/8	0.58	305 x 102 x 15.9	109.2	71.3	3/8	7/16	11/16	1-1/8	1-5/8
	1/2	0.47	x 12.7	90.3	86.2	3/8	11/16	1	1-9/16	2-3/16
	3/8	0.36	x 9.5	69.6	111.9	1/2	13/16	1-1/4	2-1/16	2-13/16
	5/16	0.30	x 7.9	59	132.0	5/8	1-1/16	1-9/16	2-1/2	3-3/8
	1/4	0.24	x 6.4	47.8	162.9	3/4	1-5/16	1-15/16	3-1/16	NR
	3/16	0.18	x 4.8	36	216.3	1	1-9/16	2-3/16	4	NR
10 x 8	5/8	0.58	254 x 203 x 15.9	110.2	70.7	3/8	7/16	11/16	1-1/8	1-5/8
	1/2	0.47	x 12.7	91.5	85.1	3/8	11/16	1	1-9/16	2-3/16
	3/8	0.36	x 9.5	70.2	110.9	1/2	13/16	1-1/4	2-1/16	2-13/16
	5/16	0.30	x 7.9	59	132.0	5/8	1-1/16	1-9/16	2-1/2	3-3/8
	1/4	0.24	x 6.4	47.8	162.9	3/4	1-5/16	1-15/16	3-1/16	NR
	3/16	0.18	x 4.8	36	216.3	1	1-9/16	2-3/16	4	NR
10 x 6	5/8	0.58	254 x 152 x 15.9	110.2	70.7	3/8	7/16	11/16	1-1/8	1-5/8
	1/2	0.47	x 12.7	90.3	86.2	3/8	11/16	1	1-9/16	2-3/16
	3/8	0.36	x 9.5	69.6	111.9	1/2	13/16	1-1/4	2-1/16	2-13/16
	5/16	0.30	x 7.9	59	132.0	5/8	1-1/16	1-9/16	2-1/2	3-3/8
	1/4	0.24	x 6.4	47.8	162.9	3/4	1-5/16	1-15/16	3-1/16	NR
	3/16	0.18	x 4.8	36	216.3	1	1-9/16	2-3/16	4	NR
10 x 4	1/2	0.46	254 x 102 x 12.7	88.5	88.0	7/16	11/16	1	1-5/8	2-1/4
	3/8	0.35	x 9.5	68.4	113.9	1/2	13/16	1-1/4	2-1/8	2-15/16
	5/16	0.30	x 7.9	58.4	133.4	5/8	1-1/16	1-9/16	2-1/2	3-3/8
	1/4	0.24	x 6.4	47.2	165.0	3/4	1-5/16	1-15/16	3-1/16	NR
	3/16	0.18	x 4.8	36	216.3	1	1-9/16	2-3/16	4	NR
8 x 6	1/2	0.46	203 x 152 x 12.7	88.5	88.0	7/16	11/16	1	1-5/8	2-1/4
	3/8	0.35	x 9.5	68.4	113.9	1/2	13/16	1-1/4	2-1/8	2-15/16
	5/16	0.30	x 7.9	57	136.6	5/8	1-1/16	1-9/16	2-1/2	3-3/8
	1/4	0.24	x 6.4	47.2	165.0	3/4	1-5/16	1-15/16	3-1/16	NR
	3/16	0.18	x 4.8	36	216.3	1	1-9/16	2-3/16	4	NR

Note: A/P Ratio based on Design Formula

X827

**Structural Steel Rectangular Tube Columns
CAFCO BLAZE-SHIELD II, HP**

ASTM Desig.	Wall Thk	A/P	Metric Desig.	M/D	Hp/A	1-Hour	1-1/2 Hour	2-Hour	3-Hour	4-Hour
8 x 4	1/2	0.46	203 x 102 x 12.7	86.7	89.8	7/16	11/16	1	1-5/8	2-1/4
	3/8	0.35	x 9.5	67.9	114.7	1/2	13/16	1-1/4	2-1/8	2-15/16
	5/16	0.30	x 7.9	57.2	136.2	5/8	1-1/16	1-9/16	2-1/2	3-3/8
	1/4	0.24	x 6.4	46.6	167.1	3/4	1-5/16	1-15/16	3-1/16	NR
	3/16	0.18	x 4.8	36	216.3	1	1-9/16	2-3/16	4	NR
7 x 5	1/2	0.46	178 x 127 x 12.7	86.7	89.8	7/16	11/16	1	1-5/8	2-1/4
	3/8	0.35	x 9.5	67.9	114.7	1/2	13/16	1-1/4	2-1/8	2-15/16
	5/16	0.30	x 7.9	57.2	136.2	5/8	1-1/16	1-9/16	2-1/2	3-3/8
	1/4	0.24	x 6.4	46.6	167.1	3/4	1-5/16	1-15/16	3-1/16	NR
	3/16	0.18	x 4.8	36	216.3	1	1-9/16	2-3/16	4	NR
7 x 4	1/2	0.46	178 x 102 x 12.7	87.4	89.1	7/16	11/16	1	1-5/8	2-1/4
	3/8	0.35	x 9.5	66.7	116.8	1/2	13/16	1-1/4	2-1/8	2-15/16
	5/16	0.29	x 7.9	56.6	137.6	5/8	1-1/8	1-9/16	2-9/16	3-1/2
	1/4	0.24	x 6.4	46.6	167.1	3/4	1-5/16	1-15/16	3-1/16	NR
	3/16	0.18	x 4.8	35.4	220.0	1	1-9/16	2-3/16	4	NR
6 x 4	1/2	0.46	152 x 102 x 12.7	83.8	92.9	7/16	11/16	1	1-5/8	2-1/4
	3/8	0.35	x 9.5	66.1	117.8	1/2	13/16	1-1/4	2-1/8	2-15/16
	5/16	0.29	x 7.9	56.1	138.8	5/8	1-1/8	1-9/16	2-9/16	3-1/2
	1/4	0.24	x 6.4	46	169.3	3/4	1-5/16	1-15/16	3-1/16	NR
	3/16	0.18	x 4.8	35.4	220.0	1	1-9/16	2-3/16	4	NR
5 x 4	3/8	0.34	127 x 102 x 9.5	65	119.8	9/16	13/16	1-1/4	2-3/16	3
	5/16	0.29	x 7.9	55.5	140.3	5/8	1-1/8	1-9/16	2-9/16	3-1/2
	1/4	0.24	x 6.4	45.4	171.5	3/4	1-5/16	1-15/16	3-1/16	NR
	3/16	0.18	x 4.8	34.8	223.8	1	1-9/16	2-3/16	4	NR

Note: A/P Ratio based on Design Formula